

## 19.2 Volt 1/2" Drive Cordless Impact Wrench MCT-10192

Professional quality, heavy duty tool with 1 hour charge. Complete with one battery, a charger and packaged in a blow molded case. Features include: 2.0Ah Japanese battery, 220 ft.lbs. torque, 0-2400 rpm, 2600 impacts per minute, 6.6 lbs., ultra power impact transmission, metal hammer housing, soft grip handle, super torque for tire removal and fan-cooled motor.

Replacement Battery Charger (19.2V)  
MCT-10194

Replacement Battery (19.2V - 2.0Ah)  
MCT-10193



## 14.4 Volt 3/8" Drive Cordless Impact Wrench MCT-10144

Professional quality tool with 1 hour charge. Complete with one battery, a charger and packaged in a blow molded case. Features include: 1.3Ah Japanese battery, 87 ft.lbs. torque, 2000 rpm, 3150 impacts per minute and 4.4 lbs.

Replacement Battery Charger (14.4V)  
MCT-10146

Replacement Battery (14.4V - 1.3Ah)  
MCT-10145



## 5-in-1 18 Volt Combination Tool Kit MCT-10050

Quick charge with 2 batteries. Packaged in a blow molded case with professional grip rubberized coating. UL listed. Pieces also available individually (see pages 181-182).

Qty	Description
1	18 Volt Cordless Drill/Driver with 1/2" Keyless Chuck
1	18 Volt Cordless 8 Watt Light
1	18 Volt Cordless Detail Sander
1	18 Volt Cordless Jigsaw
1	18 Volt Cordless 5 1/8" Circular Saw
1	Fast Charger
2	18 Volt Rechargeable Fast Charge Battery

Replacement Battery Charger (18V Fast Charge)  
MCT-10016

Replacement Battery (18V Fast Charge)  
MCT-10026



## 18 Volt Cordless Drill/Driver Kit MCT-10017

Reversible drill driver with professional grip rubberized coating, 2 variable speeds and 16 torque settings. Feature 1/2" keyless chuck and 2 one-hour quick charge batteries, 1 UL listed quick charge battery charger, 1 dual driver bit and convenient carrying case.

Replacement Battery Charger (18V Fast Charge)  
MCT-10016

Replacement Battery (18V Fast Charge)  
MCT-10026



## 18 Volt Cordless 8 Watt Light

### MCT-10020

Includes 1-hour quick charge battery and one UL listed quick charge battery charger. Features 6 position head, stands upright for hands-free operation, convenient carrying case and professional grip rubberized coating.

Replacement Battery Charger (18V Fast Charge)  
MCT-10016

Replacement Battery (18V Fast Charge)  
MCT-10026

Replacement Bulb (8 Watt)  
MCT-10021



## 18 Volt Cordless Detail Sander

### MCT-10040

No load speed 6,000 rpm. Sanding pad size 3 1/2" x 3 1/2" x 3 1/2". Includes one piece sandpaper, 1-hour quick charge battery, 1 UL listed quick charge battery charger, convenient carrying case and professional grip rubberized coating.

Replacement Battery Charger (18V Fast Charge)  
MCT-10016

Replacement Battery (18V Fast Charge)  
MCT-10026



## 18 Volt Cordless Jigsaw

### MCT-10045

No load speed 1,700 rpm. Maximum cutting depth 1 1/2" for wood, 1/8" for steel. Miter cutting from 0° to 45°. Includes jigsaw blade, hex key, 1-hour quick charge battery, one UL listed quick charge battery charger, convenient carrying case and professional grip rubberized coating.

Replacement Battery Charger (18V Fast Charge)  
MCT-10016

Replacement Battery (18V Fast Charge)  
MCT-10026



## 18 Volt Cordless 5 3/8" Circular Saw

### MCT-10065

Features 24T carbide tipped blade 5 3/8" OD x 10mm arbor, no load speed 2,350 rpm and maximum cutting depth 1 3/8" (90°) and 1" (45°). Includes 1-hour quick charge battery, one UL listed quick charge battery charger, convenient carrying case and professional grip rubberized coating.

Replacement Battery Charger (18V Fast Charge)  
MCT-10016

Replacement Battery (18V Fast Charge)  
MCT-10026



## 14.4 Volt Cordless Drill Kit

### MCT-10014

Features 6 speed settings with forward and reverse function makes removing screws simple and fast. Variable speed. 5-hour battery charger. Keyless chuck, universal fit. Extra room to store one spare battery (not included). Includes 14.4 volt cordless drill, battery pack with charger and AC/DC adapter, dual drill bit and convenient carrying case.

Replacement Battery Charger (14.4V)  
MCT-10011

Replacement Battery (14.4V)  
MCT-10015



## 18 Volt Cordless Drill Kit

### MCT-10018

Features 6 speed settings with forward and reverse function makes removing screws simple and fast. Variable speed. 5-hour battery charger. Keyless chuck, universal fit. Extra room to store one spare battery (not included). Includes 18 volt cordless drill, battery pack with charger and AC/DC adapter, dual drill bit and convenient carrying case.

Replacement Battery Charger (18V)  
MCT-10012

Replacement Battery (18V)  
MCT-10019



## 24 Volt Cordless Drill Kit

### MCT-10024

Features 17 torque settings with forward and reverse function makes removing screws simple and fast. Variable speed. 5-hour battery charger. Keyless chuck, universal fit. Extra room to store one spare battery (not included). Includes 24 volt cordless drill, battery pack with charger and AC/DC adapter, and convenient carrying case. Also includes 6 wood drill bits: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 6 screwdriver bits: Pozzi: PZ#1, PZ#2, Phillips: #1, #2, Slotted: 3/16", 1/4" and 1 magnetic holder.

Replacement Battery Charger (24V)  
MCT-10013

Replacement Battery (24V)  
MCT-10025



## 1,000,000 Candle Power Rechargeable Spotlight

### MCT-10085

Compact rechargeable unit. Swivel handle allows for easy carrying. Unique trigger locking mechanism allows hands-free operation. Includes UL listed 120V adapter and 12V car adapter. Shatter resistant lens for durability. Provides up to 20 minutes of light with continuous use. Rechargeable spotlight provides up to 20 times the power of a standard automobile headlight. Durable, weather resistant housing is perfect for outdoor and marine applications.



## 650 Watt Angle Grinder

### MCT-10010

650 Watt, 5.4 amp, 4 1/2" angle grinder. 120 volt AC. No load speed. 11,000 rpm. Compact design with two position auxiliary handle for right or left hand use. 100% ball bearing construction for long life.



## 10" Waxer / Polisher

### MCT-10210


Easy to use. Cuts waxing and polishing time to a minimum. Maintains that new car finish, protects and restores older finishes. Use on cars, RVs, vans, sport utility vehicles and boats. Powerful .65 amp motor for ease of use, ball bearing construction and high impact ABS housing. 10" pad reduces waxing time. Includes one terry cloth bonnet. 120V/60Hz rated voltage. 0.065A input current. No load speed. 2,580 rpm.



## 6" Vise with Swivel Base

### MCT-10600

Unbreakable all-steel body. Equipped with permanent 360° swivel base with positive locks.



## 30-Piece Titanium Drill Bit Set

### MCT-10030

Steel index box with 29 sizes: 1/16"-1/2". Fits all 3/8" drills. Bits can be resharpener.



## 4.8 Volt Stick Driver

### MCT-10004

Features rubberized grip, 180 rpm and 800 mAh NiCd battery.



## 18 Volt Cordless Reciprocating Saw

### MCT-10066

Durable, hardworking unit built for long lasting use. Features variable speed control and 0-3000 strokes per minute. Complete with 1-hour quick charger.

Replacement Battery Charger (18V)

MCT-10067

Replacement Battery (18V Quick Charge)

MCT-10068



## Rotary Tool Kit with 40 Accessories

### MCT-10070

Great for drilling, cutting, sanding, grinding, routing and polishing. Features 8,000-30,000 rpm, speed control, adjustable collet, on/off switch and carrying case.

Qty	Description
10	Assorted Stones
1	Rubber Drum Mandrel
1	Ball-shaped Diamond Grit Wheel
1	Cone-shaped Diamond Grit Wheel
1	Coarse Thread Screw Mandrel
1	Screw Tighten Mandrel
4	Sanding Boards
6	Sanding Discs
8	Emery Cutting Wheels
1	Felt Wheel
1	Grinding Stone
1	1/8" Collet
1	3/32" Collet
2	Drill Bits
1	Wrench



## 150-Piece Rotary Tool Accessories Kit

### MCT-10072

Qty	Description
2	Rubber Emery Wheel 7/8" x 5/32"
1	Bristle Brush - Radial 3/4" x 1 1/4"
2	Bristle Brush - Axial 3/8" x 1 1/4"
1	Stainless Steel Brush Axial 3/4" x 1 1/4"
2	Stainless Steel Brush Radial 1/2" x 1 1/4"
1	Brass Brush Axial 1/2" x 1 1/4"
5	Felt Wheel 1/2" x 1/4"
1	Felt Wheel Pointed
4	Felt Wheel 1" x 1/4"
1	Cloth Wheel Metal Flange
1	Wrench
2	HSS Twist Drill Bit 1/8"
1	HSS Twist Drill Bit 3/32"
1	HSS Twist Drill Bit 1/16"
2	Collet Chrome Plated 1/8"
1	Collet Chrome Plated 3/32"
1	Collet Chrome Plated 1/16"
2	Mandrel for Cut Off Wheel 1/16"
1	Mandrel for Cloth Wheel 3/32"
1	Mandrel for Felt Wheel
1	Dressing Stone Silicon Carbide 1" x 3/8" 60
2	Aluminum Oxide Grinding Wheel 5/8" x 3/8" 120
2	Aluminum Oxide Grinding Wheel 3/8" x 1/2" 120
2	Aluminum Oxide Parabolic Wheel 3/8" x 3/4" 120
6	Aluminum Oxide Grinding Wheel 3/4" x 1/8" 220
2	Silicon Carbide Grinding Wheel 25/32" x 3/16" 120
2	Silicon Carbide Grinding Wheel 13/32" x 1/8" 120
6	Silicon Carbide Grinding Wheel 3/4" x 1/8" 180
4	Sanding Band 1/4" x 1/2" 80
8	Sanding Band 1/2" x 1/2" 80
1	Flap Wheel 1 1/4" x 3/8" 80
1	Sanding Shank 1/2" x 1/2"
1	Sanding Shank 1/4" x 1/2"
1	Diamond Cutter Cylindrical 1/8" x 5/16"
1	Diamond Cutter Cylindrical 3/32" x 3/8"
1	Diamond Cutter Tree 3/8"
1	Diamond Cutter Spherical 11/64"
1	Diamond Cutter Spherical 5/64"
1	Carbide Cutter Spherical 1/8"
1	HSS Cutter 1/8" x 3/8"
5	Cut Off Wheel Fiberglass 1 1/4" x 3/64"



## 326-Piece Master Drill Bit Set

### MCT-10330

Qty	Description
64	<b>HSS Twist Drill Bits:</b> 3/64" (8), 1/16" (8), 5/64" (5), 3/32" (5), 7/64" (5), 1/8" (5), 9/64" (5), 5/32" (5), 3/16" (4), 7/32" (4), 15/64" (4), 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" & 1/2"
54	<b>Titanium Coated High Speed Drill Bits:</b> 3/64" (6), 1/16" (6), 5/64" (4), 3/32" (4), 7/64" (4), 1/8" (4), 9/64" (4), 5/32" (4), 11/64" (4), 3/16" (2), 7/32" (2), 15/64", 1/4", 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" & 1/2"
10	<b>Nutdrivers:</b> 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" & 1/2"
37	<b>2" Screwdriver Bits:</b> 7 Slotted, 6 Phillips, 6 Pozi, 8 Star, 7 Metric Hex & 8 Square
64	<b>1" Screwdriver Bits:</b> 14 Slotted, 10 Phillips, 10 Pozi, 8 Star, 7 Hex, 9 Metric Hex & 6 Square
3	<b>14" Masonry Drill Bits:</b> 5/16", 3/8" & 1/2"
21	<b>Masonry Drill Bits:</b> 5/32" (2), 11/64" (2), 3/16" (2), 7/32" (2), 15/64" (2), 1/4" (2), 17/64", 9/32", 5/16", 21/64", 11/32", 3/8", 7/16", 15/32" & 1/2"
4	<b>Nail Pouch:</b> 1/32", 1/16", 3/32" & 1/8"
6	<b>Drill Stoppers:</b> 1/8", 5/32", 3/16", 1/4", 5/16" & 3/8"
1	<b>Allen Key - 2.5mm</b>
1	<b>Magnetic Holder</b>
1	<b>Counter Sink</b>
1	<b>Gauge</b>
4	<b>Hole Saws:</b> 1 1/4", 2 1/8", 2 3/8" & 2 1/2"
1	<b>Hole Saw Adapter</b>
44	<b>Wood Boring Drill Bits:</b> 1/8" (3), 5/32" (4), 11/64" (8), 3/16" (4), 13/64" (4), 7/32" (4), 15/64" (4), 1/4" (4), 17/64", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32" & 1/2"
5	<b>Flat Wood Bits:</b> 1/2", 5/8", 3/4", 7/8" & 1 1/4"
4	<b>12" Flat Wood Bits:</b> 5/16", 3/8", 1/2" & 9/16"



## 7" Variable Speed Polisher

### MCT-10215

Variable speed 11 amp motor with overload protection. Dial speed control and 3 position handle. Features variable speed 1000-3000 rpm, rubber pad, UL listed, professional rubberized finish, soft start and lightweight at only 7 lbs.



## 10" Polisher with Blow Molded Case

### MCT-10220

Heavy duty waxer/polisher with random orbital action for a top quality finish that won't damage paint. Professional kit packaged in blow molded case. Complete with 2 bonnets. Features 1.05 amp, 3200 rpm, lightweight, UL listed and comfortable grip handles.



## Bench Grinder with Light

### MCT-10508

Includes 36 and 60 grit grinding wheels. Features UL approved, 5/8" arbor, 3450 rpm, adjustable tool rests and spark guards and wide, clear eye shields that are easy to adjust.



## 3/8" Drive Air Ratchet

### MCT-10700

Uses 3/8" ID hose, 1/4" air inlet and 90 psi air pressure. Free speed 150 rpm, max torque 40 ft./lbs., average air consumption 4 cfm, overall length 10" and net weight 2.4 lbs.



## Standard Duty Air Hammer .401 Shank

### MCT-10705

Uses 3/8" ID hose, 1/4" air inlet and 90 psi air pressure. Bore diameter 3/4", stroke length 1 5/8", blows per minute 4500, average air consumption 5 cfm, overall length 5 1/4" and net weight 2.3 lbs.



## 1/2" Drive Air Impact Wrench

### MCT-10710


Uses 3/8" ID hose, 1/4" air inlet and 90 psi air pressure. This tool is perfect for transmissions, general repair and body shops. Free speed 7000 rpm, max torque 200 ft./lbs., average air consumption 8 cfm, overall length 7" and net weight 5.4 lbs.



## 1/2" Drive Air Impact Wrench

### MCT-10715

Uses 3/8" ID hose, 1/4" air inlet and 90 psi air pressure. This tool is perfect for transmissions, general repair and body shops. Free speed 4000 rpm, working torque 1000 ft./lbs., max torque 1200 ft./lbs., average air consumption 12.7 cfm, overall length 23" and net weight 30 lbs.



## 6" Dual Action Orbital Sander

### MCT-10720

Uses 3/8" ID hose, 1/4" air inlet and 90 psi air pressure. Quiet dual action sander with variable speed trigger. Pad size 6", spindle thread 5/16", free speed 9000 rpm, average air consumption 6 cfm, overall length 10" and net weight 4.2 lbs.



## Die Grinder, Rear Exhaust - 1/4" Collet

### MCT-10725

Uses 3/8" ID hose, 1/4" air inlet and 90 psi air pressure. Rear exhaust and variable speed control. Capacity 1/4", free speed 20,000 rpm, average air consumption 5 cfm, overall length 6 1/4" and net weight 1.7 lbs.



## 3/8" Reversible Drill

### MCT-10730

Uses 3/8" ID hose, 1/4" air inlet and 90 psi air pressure. Chuck capacity 3/8", free speed 1800 rpm, average air consumption 5.95 cfm, overall length 4 5/8" and net weight 2.42 lbs.

