

SHOP PRESSES







K-Tool XD Shop Presses

- · Multi-position bed for easy work height adjustment
- Heavy-duty H-frame constructed of high-grade steel and built to exacting standards for quality and durability
- Oil and dirt resistant surface painting for easy cleanup
- High quality large diameter hydraulic steel cylinder reducing wear and extends service life
- Extra-long handle included for easy pumping force
- Meets or exceeds ASME PASE 2019 standards
- 1 year warranty on material and workmanship







DIMENSIONS

KTIXD63619

Overall Width: 29" Side Width: 27-1/2" Frame Height: 59-1/2" Overall Height: 70-1/4" Frame Width: 3-15/16"

KTI63611A

Overall Width: 25-1/8" Side Width: 27-1/2" Frame Height: 65-1/8" Overall Height: 65-1/8" Frame Width: 3-1/8"

Part Number	Ton	Style Feature	Ram Stroke	Min/Max Range	Height Adjust
KTI63611A	12	Double Speed Fast Pump	6.9"	3"/36.1"	8
KTIXD63619	20	Manual Hydraulic	6.9"	2.3"/40"	4





SHOP PRESSES



K-Tool HD Shop Presses

- Double speed pump design achieves improved efficiency
- Anti shock pressure gauge with stainless steel frame
- · Height adjustments for press bed
- 1 year warranty on material and workmanship
- Meets or exceeds ASME PASE 2019 standards



DIMENSIONS

KTIHD63630

Overall Width: 28-1/4" Side Width: 27-1/2" Frame Height: 65-1/4" Overall Height: 75" Frame Width: 5-7/8"

KTIHD63650

Overall Width: 43-1/2" Side Width: 31-1/2" Frame Height: 67" Frame Width: 8-1/2"



Part Number	Ton	Style Feature	Ram Stroke	Min/Max Range	Height Adjust
KTIHD63630	30	Manual Hydraulic	6"	2.4"/41.3"	9
KTIHD63650	50	Air / Hydraulic	7.5"	6.6"/34.2"	6

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

PLEASE NOTE:

All prices are subject to change at any time without notice.

Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products.

This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products within this advertisement may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION:

Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.



CUSTOMER REBATES (ACCOUNT CREDITS and/or GIFT CARDS):

- Customer must be registered to receive rebates.
- ISN cannot postdate registrations prior to the actual registration date; therefore, rebates cannot be paid out retroactively for prior purchases or promotions.
- Customer only needs to register once. Upon completion of the form and approval from ISN Controller, customer will be registered for all ISN customer rebates (account credit/ gift card) programs going forward.

To register, complete the form at https://www.toolweb.com/rebate-reg

- All accounts must be current to receive CUSTOMER REBATES and/or dated terms & must be approved by the ISN Controller. Other conditions may apply.
- Please allow 2-4 weeks after end of promotion for Customer Rebates to be fulfilled.
- 15% restocking fee will be assessed to your account upon return of documented invoice.
- Order value is based upon invoice value (Shipment Value). All orders must ship to 1 single shipping location.
- No discounts or price changes apply.
- No back-orders.
- No Direct Ships, Shippable products only.
- ISN reserves the right to substitute any gift items based on availability.