



200-700 LUMEN WORK LIGHT

**200 TO 700
LUMENS**

**6 LEVELS OF
BRIGHTNESS**

**TWO SWIVEL &
FOLDABLE
HOOKS**

**RUN TIME
3-8 HOURS**

**5 HOUR
CHARGE
TIME**



NEW

XD

KTIXD52484

200-700 Lumen Work Light

- 200 to 700 lumens (6 levels of brightness) with 80 lumens top flashlight
- Comfortable rubber grip with easy access dimmer switch
- Two convenient swivel and foldable hooks for multiple lighting positions
- Two magnets on back of light with power meter

Handheld rechargeable work light, 200 TO 700 lumens (6 levels of brightness) with 80 lumens top flashlight. Comfortable rubber grip with easy access dimmer switch. Two convenient swivel and foldable hooks for multiple lighting positions. Two magnets on back of light with a power meter. Run time is 3-8 hours and charge time is 5 hours. Length is 15.5"

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

MORE

February 2022

TOOLWEBSM

a division of
ISN

See rules,
regulations on
last page



ELECTRICAL EXTENSION CORDS

NEW



KTIXD73345

XD

Indoor/Outdoor Locking/Lighted Extension Cords

- SJTW single tap
- 15A, 125V, 1825W
- LED mounted in end of cord lights up when cord is plugged into 110V power
- Female end slide lock for protection against cable disconnection
- ETL Certified and UL Listed

KTIXD indoor/outdoor locking extension cords provide uninterrupted power loss while in use. The slide lock mechanism engages automatically and works with all standard straight prong connectors ensuring continuous operation. Visible LED is mounted in the female end of the cord that lights up when the cord is plugged into 110V power.

KTIXD73345 - 14/3 25 ft

KTIXD73346 - 14/3 50 ft

KTIXD73348 - 12/3 50 ft

NEW



KTIXD73342

XD

14/3 Indoor/Outdoor Triple Tap Extension Cords

- 14/3 SJTW triple tap
- 15A, 125V, 1825W
- LED mounted in end of cord lights up when cord is plugged into 110V power
- ETL Certified and UL Listed

KTIXD indoor/outdoor triple tap extension connector at one end provides three standard 15A-125V outlets for additional operation on job sites. Visible LED is mounted in the female end of the cord that lights up when the cord is plugged into 110V power.

KTIXD73342 - 25 ft

KTIXD73343 - 50 ft



RETRACTABLE TRIPLE TAP REEL

**SAFETY
RESET CIRCUIT
BREAKER**

**3 FT
POWER
CARD**

**CEILING
OR WALL
MOUNTING**

**DURABLE
HOUSING**

**ETL
CERTIFIED**



NEW

KTIXD73341

Retractable Triple Tap Extension Cord Reel - 50 ft

- 14/3 SJT triple tap
- 15A, 125V, 1875W
- Safety Reset Circuit Breaker Located Near the Triple Tap (NOT ON THE REEL HOUSING)
- 3 ft power cord
- Includes necessary hardware for ceiling or wall mounting
- ETL Certified and UL Listed

KTIXD retractable extension cord reel includes 3 grounded outlets molded onto the cord. Pull out to your desired length the 50 foot SJTW 14/3 cord will lock into position. With a slight pull of the cord, it will automatically retract and stop in place at the desired length using the adjustable stopper. The durable housing is constructed from high-impact fire-retardant black ABS plastic. Safety reset circuit breaker is located near the triple tap plug (NOT ON THE REEL HOUSING)

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

XD

PLEASE NOTE:

All prices are subject to change at any time without notice.

Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products.

This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products within this advertisement may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION:

Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.



CUSTOMER REBATES (ACCOUNT CREDITS and/or GIFT CARDS):

- Customer must be registered to receive rebates.
- ISN cannot postdate registrations prior to the actual registration date; therefore, rebates cannot be paid out retroactively for prior purchases or promotions.
- Customer only needs to register once. Upon completion of the form and approval from ISN Controller, customer will be registered for all ISN customer rebates (account credit/ gift card) programs going forward.

To register, complete the form at <https://www.toolweb.com/rebate-reg>

- All accounts must be current to receive CUSTOMER REBATES and/or dated terms & must be approved by the ISN Controller. Other conditions may apply.
- Please allow 2-4 weeks after end of promotion for Customer Rebates to be fulfilled.
- 15% restocking fee will be assessed to your account upon return of documented invoice.
- Order value is based upon invoice value (Shipment Value). All orders must ship to 1 single shipping location.
- No discounts or price changes apply.
- No back-orders.
- No Direct Ships, Shippable products only.
- ISN reserves the right to substitute any gift items based on availability.