



SEPTEMBER 2021 NEW PRODUCTS

NEW IMPROVED DESIGN

**SERRATED
GRIPPING TEETH**

**SPRING
LOADED**



XD

KTIXD58403

2-Piece Spring Crowfoot Wrench Set

- Serrated gripping teeth with spring loaded, self adjusting jaws
- Ideal tool for easy adjustment of tie rods & other difficult to access parts
- Firmly grips all type of fasteners
- 8 – 17mm range for the 3/8" drive, 14 – 32mm range for the 1/2" drive

Ratcheting action design allows the tool to rotate back and reposition, allowing better performance than regular crowfoot wrenches, especially in tight spaces

KTIXD58400

1/4" Drive Spring Crowfoot Wrench

- 1/4" - 1/2" (5 – 12mm) range

KTIXD58401

3/8" Drive Spring Crowfoot Wrench

- 5/16" - 11/16" (8 – 17mm) range

KTIXD58402

1/2" Drive Spring Crowfoot Wrench

- 9/16" - 1-1/4" (14 – 32mm) range

**25" LCD SCREEN
160 x 240 RESOLUTION**



**4X
DIGITAL
ZOOM**

**6X
ADJUSTABLE
BRIGHTNESS**

XD

KTIXD3K

Video Inspection Borescope

- 2.5" LCD screen with 160 x 240 resolution
- Digital imaging with 640 x 480 resolution
- Fixed 8.5mm Forward View Imager
- 4X digital zoom
- 6X adjustable brightness
- 180 image rotation
- On board storage for up to 30 images
- Includes Mirror, Magnet/Hook
- Powered by 4 AA batteries

The K-Tool XD video inspection borescope is the ideal tool for automotive, maintenance, and industrial repairmen. The K-Tool XD video inspection borescope gives the user lighted and color visual access into the interior of motors, electric components, and hard-to-see areas. Small durable tool housing is designed for everyday comfort and functionality.

MORE

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

TOOLWEBSM

a division of
ISN

See rules,
regulations on
last page



SEPTEMBER 2021 NEW PRODUCTS

XD

KTIXD50-T

50 Quart Xtra-Cool Insulated Cooler

- Holds up to 38 Cans and 47 pounds ice
- Refrigerator grade seal keeps internal temperature range 14°F -140°F
- Easy open & close with press and pull Nylon latches
- Durable carry handles
- 4 built in self-draining cup holders
- Sloped drain & Tethered threaded plug
- Built-in stainless steel bottle opener
- Non-skid rubber feet
- Made from indestructible polypropylene material
- BPA free
- Interior Dimensions: 20.24 x 13.23 x 14.65 in
- Exterior Dimension: 25.71 x 19.49 x 19.02 in

**TETHERED
THREADED PLUG**



**HOLDS 25 oz
HOT OR COLD**

XD

KTIXD25WB

25 oz Insulated Water Bottle

- Holds 25 oz hot or cold
- Double-layered vacuum-insulated design
- Made from food-grade stainless steel.
- Powder coat exterior surface

Double-layered, vacuum-insulated construction designed to keep beverages colder or hotter. Keeps beverages cold for up to 36 hours and hot for up to 20. Made from food-grade stainless steel. Outer exterior offers a condensation-free layer that won't produce condensation. Designed to fit most cup holders.



**DOUBLE LAYERED
VACUUM INSULATED**

PLEASE NOTE:

All prices are subject to change at any time without notice.

Due to recent Tariff changes by the U.S. Government, it may be necessary to implement a Force Majeure pricing event on certain products.

This advertisement was prepared in advance, therefore, merchandise availability could be limited and is subject to the delivery schedule of the manufacturers. Advertised items may not be stocked by all locations. We are not responsible for typographical, pictorial, or pricing errors.

Products within this advertisement may contain chemicals known to the State of California under Proposition 65 ("P65") to cause cancer, birth defects or other reproductive harm. Many products are noted with a P65 WARNING; however, the warnings may not apply to all items. Further, as this is a new regulation and all vendors may not have yet identified their products as subject to P65, all items that need a warning may not be noted. Contact the manufacturer for specific details regarding P65. We appreciate your understanding as we navigate these new requirements.

CAUTION:

Always wear appropriate safety equipment and observe safety advice and proper use of equipment as instructed in warning and caution labels and operating instructions.

ACCOUNT CREDITS:

- Please allow 2-4 weeks for account credit.
- 15% restocking fee will be assessed to your account upon return of documented invoice.
- Order value is based upon invoice value (Shipment Value). All orders must ship to 1 single shipping location.
- No discounts or price changes apply.
- No back-orders.
- No Direct Ships, Shippable products only.
- ISN reserves the right to substitute any gift items based on availability.